

Rotary/mulch mower 1500

News



**Facts and technical data on the rotary/mulch mower 1500
for the Park Ranger 2150**

More mowing in less time

- an efficient tool for works projects and gardening

Egholm is expanding its range of tools for the Park Ranger 2150 with the rotary/mulch mower 1500. High-quality materials and functional couplings for tool change, without the need for tools, guarantees a professional result and a long service life.

Rotary mower for even tall, coarse or wet grass

You can choose whether to use the mower as a rotary mower or a mulch mower (optional). As a rotary mower, it handles tall and coarse grass - even when it is wet.

Natural fertilisation with the mulch mower

The rotary mower can easily be converted to a mulch mower with a new set of blades and by placing a cover inside the mower. This means that the lawn is fertilised while being mowed. It finely mulches and spreads the cuttings while blowing them into the bottom of the lawn where they fertilise the soil. This means that the grass clippings need not be removed and moss will have a hard time settling in a fertilised lawn! When the mower is used as a mulch mower, the lawn is left especially even and beautiful.

Significant cutting width - significant efficiency

The Egholm rotary/mulch mower 1500 is quick, robust and efficient. It is able to mow even large lawns in record time. Its cutting width is 1500 mm and its working speed is up to 10 km/h, terrain permitting - and always leaves a beautiful result.

Hydraulic tipping for easy cleaning

Using the hydraulic system of the Park Ranger 2150, the cutter can be swivelled into a vertical position. This vertical cutter position allows for easy access for cleaning and maintenance of the cutter itself.

Storage

If the cutter is to be stored in a vertical position, two support wheels ensure stability and easy transport to where the cutter is to be stored.

Hydraulic height adjustment

Adjusting the cutting height between 30 and 80 mm is easy. It is done hydraulically from the operator's seat - simply and accurately.

Specially developed blades

The cutter is equipped with specially developed blades which ensure a beautiful result in shorter time and using less power. Cutting with rearward dispersal (rotary mower) achieves a nice spread of the grass clippings.

Very user-friendly

The cutter is equipped with a heavy cutting screen with a reinforced edge. Due to its articulated construction, it is extremely manoeuvrable which means that it can access any area. At the same time, it provides a good overview of the cutter during operation. Mowing grass is a joy, even between obstacles such as trees and flowerbeds - as well as underneath bushes. When the cutter (the A-frame) is in the lowest possible setting, it follows the terrain - even bumps. The noise level is low which also makes working with the cutter very pleasant.




Hydraulic tipping function for easy cleaning

Using the hydraulic system of the machine, the cutter can be tipped into vertical position for easy cleaning and maintenance.

Rotary/mulch mower 1500

- Park Ranger 2150



Standard equipment:

- Hydraulic tipping function** Using the control handle, the cutter can be tipped into vertical position for easy cleaning and maintenance of the cutter.
- Hydraulic height adjustment** The cutting height is adjustable using the hydraulic system of the machine.
- Specially developed blades** The cutter is equipped with specially developed blades which ensure a nice result in shorter time and using less power.
- Support wheels** When the cutter is disassembled from the machine, it can be tipped to rest on two support wheels for easier transportation and storage.
- Piano wheels** Piano wheels which move the cutter in line with the manoeuvring are equipped with heavy slide bearings in their wheel forks for durability.

Extra equipment (options):

- Large radiator cover** Choking of the radiator grille while mowing very dry grass in dusty surroundings can be avoided by mounting the large radiator cover.
- Mulch mower kit** The rotary mower can be changed into a mulch mower with a new set of blades and a cover placed inside the same mowing deck. Mulching creates fine trimmings, which supply the soil with natural nutrients and reduces the need of fertilisers.

Technical specifications

Dimensions		
Length	mm	2800
Width	mm	1582
Height with / without cabin	mm	1935 / 1210
Storage dimensions		
Length	mm	990
Width	mm	1582
Height	mm	480
Weight		
Weight (rotary mower)	kg	127
Performance		
Ground clearance below mower	mm	95-115
No. of mower blades	pcs.	3
Cutting speed (tip speed)	m/sec.	77
Cutting width	mm	1500
Adjustable cutting height	mm	30-80
Theoretical mowing area - rotary	m ² /h	15000
Theoretical mowing area - mulch	m ² /h	13500
Max. recommended operating speed		
Rotary mower *	km/h	10
Mulch mower (shorter grass) *	km/h	9
* Depends on grass and height		
Noise level		
Noise level - outside LwA (2000/14/EC)	dB(A)	N/A
CE certified according to EU directive		



Honest Work,

Egholm A/S develops, produces and markets utility machines that keep roads, parks and outdoor areas clean and inviting all year round. We supply functional quality machines and attachments to people who do an honest day's work keeping our cities clean and attractive. With special attachments developed for the machines, Egholm machines deliver perfect results no matter the task at hand. Built by craftsmen in Denmark, Egholm machines are in operation in cities and parks all over the world.

Honest Machines,

Egholm utility machines are developed by people who are passionate about technology and innovation. We listen to the people driving, using and servicing Egholm machines, because they are the true experts. It is our mission to design, build and market utility machines that deliver perfect results in real life. Egholm machines are honest machines - not just because they deliver comfort, safety and strong end results: They are also a sound investment for years to come and give you outstanding return on your investment.

Honest People,

We want you to think of us as your partner in every single way. And we always insist on reliability, trust and honesty in our partnership with you and with our network of dealers and service partners. We are straightforward and direct in our communication and in our dealings with everyone. Our belief in hard work and unwillingness to compromise helps us deliver the quality for which we are known. And we believe it is reflected by the machines we build for you, as well.

Egholm A/S

Transportvej 27
7620 Lemvig, Denmark
T.: +45 97 81 12 05
www.egholm.eu - info@egholm.dk

Egholm GmbH

Am Hafen 24
38112 Braunschweig, Germany
T.: +49 (0) 531 129 77-0
www.egholm.de - info@egholm.de